



晖耀智能
HUIYAO INTELLIGENCE



Huiyao

Intelligent Technology (Tianjin) Co., Ltd.

New Energy
Battery Module Pack
One-stop Service Solution



Annual output

1000MW



Annual sales

\$50 million


Company Profile



Located in Tianjin, Huiyao Intelligence was founded in 2022. Relying on the scientific research team of Dalian University of Technology, Huiyao Intelligence has a production base of 10,800 square meters in Luoyang. It is a company focusing on the production of energy storage battery related accessories in the new energy industry.

The company's products are mainly used in new energy storage batteries, energy storage power station module PACK. The company relies on excellent production equipment and advanced technology advantages, the annual sales volume reached 50 million yuan, and the annual output reached 1000 MW.

Excellent staff, strict management, excellent quality and perfect service are the fundamental reasons for the company to continue to grow and the products can win the trust of users. "Accurate, reliable, professional" is our production spirit and service belief!



*Focus on new energy industry,
energy storage battery-related
components manufacturing*

Five Advantages Manufacturers Supply

Source Plant Supply
Product Diversification
Professional Quality Services



Self-produced Self-sold

Independent design and production
Recognized by many customers



Qualification Advantage

Technology research and development of product diversity
Through a number of strict inspection



Quality Advantage

Products through a number of safety regulations certification
Quality rest assured quality stability



Delivery Advantage


Large annual output value
Sales engineers one to one follow up customer needs



Product Superiority

Fine workmanship to meet different customer's need of appearance and function of the products

Trending Products



Steel Band


Material: Commonly used 201,304 series stainless steel

Specification: 668.4 * 174.2 * 19mm

(multiple specifications, can be customized according to the battery model)

Appearance: Composed of stainless steel and heat shrink pipe, heat shrink pipe thickness of 1mm and 0.8mm, 10 kV not less than 1mm; 35 kV not less than 2mm (generally 15 kV-20 kV)

Use: Tie up the battery module to play a fixed role




Integrated parent CCS

Material: Aluminum row, aluminum nickel plating, copper nickel plating

Specification: Customized according to customer product requirements

Appearance: PCB hard integrated bus and FPC soft integrated bus. The thickness of aluminum row is generally calculated according to the total charge and discharge flow of the whole cell module

Use: For the series and parallel between the cell and the cell, the integrated circuit of the whole module




Aluminum profile end plate

Material: 6063-T5 aluminum alloy

Specification: 169.5*175*19.5mm

(for 280 AH cell module, customized according to battery model)

Use: Secure multiple batteries, one module has two end plates, fixed on both sides of the battery



Compressed cast aluminum end plate


Material: 6063-T5 aluminum alloy

Specification: 174.96*185*21.5mm (suitable for 280 AH cell module, can be customized according to the battery model, spraying and sandblasting)

Use: Secure multiple batteries, one module has two end plates, fixed on both sides of the battery



Thermal Baffle



Stretch Out Holder



Connection Strap



Epoxy Plate



Insulated Foam



Heat Conduction Silicone Pad

Product Superiority

Complete specifications and models

- Standardized production mode, quality control
- Dedicated to providing customers with a comprehensive range of equipment and products
- With a number of automated production lines and advanced processing equipment




Installation and debugging support

- 130 technical personnel in size
- Skilled research and development team
- Relying on the support of professional colleges and universities

Complete qualification certificate

Patent certificate of utility model

- Battery steel strip cutting machine
- Battery steel strip punching machine
- Battery steel strip bending machine
- Battery steel strip welding machine



After-sales service guarantee

- Quick service, 24 hours to the site
- 10 after-sales outlets across the country, to respond within 1 hour
- Product replacement for damage during transportation

Process Customization

Every process is a detail that you can't see



Product Consulting



Customer Order



Sample Communication



Determine Plan



Arrange Production



Quality Control test



Pack Delivery



Factory Delivery

Delivery Of Final Products

Choose The Right Save Ten Times

Source Products · Intimate Service



Real time Delivery Monitoring

10,800 square meters of workshop area
Scientific management



Free Customization Abundant Species



National Well-known Strategic Cooperation Agency





Website: <http://www.huiyaointel.com/>

Tel: 400-963-3639

Production base:

No.988, Guanlin Road , Luolong District, Luoyang
City, Henan Province, China



Service first · quality first
innovation and development · common growth